
HOOPLA RUBY



CLEANING

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

BC: Bleach Cleanable - 1 parts bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Additional cleaning details at www.mayerfabrics.com

MAYER

FABRICS

CATEGORY Seating

PROPERTIES

CONTENT 100% Pre-Consumer Recycled Polyester

ADDITIONAL FINISHING AVAILABLE (CHECK FOR PRICING)

Nano-Tex, NanoGuard

FINISH None

WIDTH 54"

WEIGHT 9.9

SHOWN RAILROADED

DIRECTIONALITY Yes

ROLL LENGTH 55 yards

VISUAL REPEAT 2.272, 2.212

BREAKING STRENGTH Warp: 200.0 lbs. / Fill: 200.0 lbs.

SEAM SLIPPAGE Warp: 70.0 lbs. / Fill: 50.0 lbs.

ABRASION RESISTANCE Passes 40,000 Double Rubs (Wyzenbeek) * * Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

PILLING RESISTANCE Class: 4 min

COLORFASTNESS TO CROCKING Dry: Class 4 min / Wet: Class 3 min

COLORFASTNESS TO LIGHT 60 hours