

# ARRAY CELADON

LC614-013

# MAYER FABRICS



**CATEGORY**  
Seating

**PROPERTIES**

**CONTENT**  
67% Recycled Polyester (36% Pre-/31% Post-Consumer)/26% Rayon/7% Polyester

**ADDITIONAL FINISHING AVAILABLE  
(CHECK FOR PRICING)**  
Nano-Tex, NanoGuard

**FINISH**  
Sustain Stain Repellent

**WIDTH**  
54"

**WEIGHT**  
16.06

**SHOWN RAILROADED**  
Yes

**DIRECTIONALITY**  
Yes

**ROLL LENGTH**  
55-60 yards

**VISUAL REPEAT**  
13.125, 0.0

**BREAKING STRENGTH**  
Warp: 309.0 lbs. / Fill: 183.0 lbs.

**SEAM SLIPPAGE**  
Warp: 83.0 lbs. / Fill: 80.0 lbs.

**ABRASION RESISTANCE**  
Passes 51,000 Double Rubs (Wyzenbeek) \*  
\* Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

**PILLING RESISTANCE**  
Class: 5

**COLORFASTNESS TO CROCKING**  
Dry: Class 4 min / Wet: Class 3 min

**COLORFASTNESS TO LIGHT**  
40 hours

## CLEANING

**S: Solvent Cleaner** - Spot clean, using a mild water-free solvent or dry cleaning product. Clean only in a well-ventilated room and avoid any product containing carbon tetrachloride or other toxic materials. Pretest a small area before proceeding. Always rinse promptly with clean water.

[Additional cleaning details at www.mayerfabrics.com](http://www.mayerfabrics.com)