


# AKOYA SEASIDE

PC13-004

# MAYER FABRICS



**CATEGORY**  
Privacy Curtain

**PROPERTIES**  
☹️☹️☹️☹️☹️

**CONTENT**  
55% Polyester/45% FR Polyester

**FINISH**  
None

**WIDTH**  
72"

**WEIGHT**  
12.24

**SHOWN RAILROADED**  
Yes

**DIRECTIONALITY**  
Yes

**ROLL LENGTH**  
60

**VISUAL REPEAT**  
10.0, 27.04

**BREAKING STRENGTH**  
Warp: 100.0 lbs. / Fill: 100.0 lbs.

**SEAM SLIPPAGE**  
Warp: 97.0 lbs. / Fill: 66.0 lbs.

**ABRASION RESISTANCE**  
n/a

**PILLING RESISTANCE**  
Class: n/a

**COLORFASTNESS TO CROCKING**  
Dry: Class 4 / Wet: Class 3

**COLORFASTNESS TO LIGHT**  
60 hours

## CLEANING

**PC: Privacy Curtains Cleaning Info** - Wash Cycle: Process Cubicle fabric as any ordinary colored fabric, temperature not to exceed 160F. Use a synthetic detergent. Add softener to the last rinse cycle. Extracting Cycle: Fabric requires no more than 2-4 min. extracting, depending on size of load and equipment used. Drying Cycle: Do not overload dryer. Tumble dry for 3-5 min. on synthetic cycle 110F. As with all polyester fabrics, excessive heat will detract from the permanent press characteristics of this fabric. Finishing: If fabric is folded upon completion of the drying cycle, no finishing is required. Occasional light touch-up with a hand iron (275F max), or using a flat bed press with covered head may be desired for smoother seams. Important: Use cover cloth between fabric and iron or pressing head. Avoid prolonged contact with heat. Notes: Do not use caustic soap or bleach. Do not put through a mangle.

[Additional cleaning details at www.mayerfabrics.com](http://www.mayerfabrics.com)