

AFFINITY PLUSCOORDINATES




SEQUEL




312-044
Cyan



312-039
Mango




312-001
Crimson



312-063
Pear



312-000
Mocha



312-009
Paprika



312-004
Royal



312-027
Parchment



312-006
Ebony


SHERLOCK



397-013
Aquatint




397-009
Mandarin




397-003
Mint



397-007
Straw



397-001
Rouge



397-004
Royal




397-006
Charcoal

PATIO



420-004
Oceanic



420-001
Sangria



420-013
Citron



420-007
Vellum



420-016
Cyberspace




420-024
Aquatint



420-000
Basket

KEY LARGO




KL-004
Ultramarine



KL-009
Tangerine



KL-033
Pear




KL-012
Wheat




KL-010
Toast



KL-001
Crimson



KL-024
Nassau




KL-027
Sand



KL-006
Graphite

Additional colors are available. Please refer to the Mayer Fabrics website.

VALET




399-004
Oceanic



399-009
Amber



399-002
Chamois



399-003
Jungle



399-007
Pearl



399-001
Rouge



399-013
Jadeite



399-010
Oyster




399-006
Sultry

BATIK



396-004
Seaworthy




396-009
Amber




396-002
Bamboo



396-007
Sandalwood



396-008
Ablaze



396-003
Limeade



396-006
Blue Clay



396-005
Cyberspace



396-013
Jungle




396-000
Ember

DURANGO



DU-024
Aegean




DU-002
Chamois



DU-001
Paprika



DU-023
Jade



DU-007
Natural




DU-019
Sepia



DU-008
Merlot



DU-033
Calypso



DU-016
Char




DU-009
Tangelo



DU-004
Sapphire




DU-000
Cocoa




DU-006
Black

Additional colors are available. Please refer to the Mayer Fabrics website.


ALIGN




398-014
Moody Blue




398-009
Fruit Punch




398-001
Cardinal



398-003
Limeade



398-007
Sea Salt




398-006
Java


Additional colors are available. Please refer to the [Mayer Fabrics website](#).




ALIGN - Repeat: 3.625" H, 4.438" V - Shown Railroaded



BATIK - Repeat: 2.5" H, 5" V



PATIO - Repeat: 1.875" H, 1.25" V



SHERLOCK - Repeat: 0.625" H, 1.125" V

CARE AND CLEANING INFORMATION

WS: Water/Solvent Cleaner – Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

Align, Batik, Durango, Key Largo, Patio, Sherlock, Valet

BC: Bleach Cleanable - 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

For additional care and cleaning information by pattern, please refer to the Mayer Fabrics website.

SPECIFIC TREATMENTS - Durango

PreFixx® Protective Finish	Anti-Microbial/Anti-Bacterial Protection	Anti-Stain Finish/Easily Cleaned	Anti-Static Slip Finish	Urine Stain Resistant
Mildew Resistant	Superior Disinfectant Resistance	Oil Resistant	Sulfide Stain Resistant/All Colors	UV Stabilized Pigments

PreFixx® The first protective finish that starts where other finishes finish. With PreFixx® protection, it is possible to remove stains that could never be removed before. Now, with cost-proven stain resistance and cleanability, plus superior abrasion resistance, PreFixx® protected vinyls protect you from high maintenance and frequent reupholstery costs.

SPECIFIC TREATMENTS - Key Largo

Stain Resistant with Resilience ^{SR}	Abrasion Resistant	Anti-Bacterial	Anti-Microbial	Bleach Cleanable	Mildew Resistant	Sulfide Stain Resistant
---	--------------------	----------------	----------------	------------------	------------------	-------------------------

Resilience^{SR} ENDURING PROTECTION Resilience^{SR} represents the latest technology in faux leather and vinyl protection, enhancing performance where it is needed the most.

Stain Resistance: With proper care, materials treated with Resilience^{SR} can be easily cleaned and will guard against stains, maintaining the desired surface appearance for years to come.

Anti-Microbial & Anti-Bacterial Protection: Products treated with Resilience^{SR} are engineered to inhibit bacterial growth, as well as fungus, mold and spores, resulting in a more hygienic environment.

Abrasion Resistance: Resilience^{SR} provides additional wear properties and surface durability to any vinyl or faux leather, thereby increasing the life of the material.

Resilience^{SR} is not visible, and does not affect the hand of the material. Resilience^{SR} is engineered to last, even after repeated cleaning and wear. Specify Resilience^{SR} for the most demanding healthcare and hospitality applications.

SUPERIOR PERFORMANCE - Key Largo

Superior Abrasion	UV Stability	Improved top-coat formulation, which offers better abrasion resistance, and better resistance to cleaners.
-------------------	--------------	--

FEATURES AND BENEFITS OF NANO-TEX® - Sequel

Spill/Stain Prevention	- Fabric aggressively repels liquids (liquid beads and rolls off) - Liquids can be blotted off the fabric face preventing staining and penetration - Helps prevent staining of fabric from dirt and spills, including hot coffee, mustard, salad dressing, blood, urine, and iodine - Can be cleaned with detergents, solvents, or bleach (fabric appropriate)
Performance	- Maintains natural hand - Highly breathable - Permanent
Environmentally Friendly	Nano-Tex® is an environmentally friendly chemistry that is recyclable

TECHNICAL INFORMATION

Affinity Plus Coordinates

*Certification Marks Owned by ACT.

Pattern 54"	Content and Backing	GREENGUARD Certified	Weight/ Linear Yd	Pattern Repeat	Finish	Abrasion  *	Light Fastness  *	Flammability  *	Cleaning Code
ALIGN <i>Directional Railroaded</i>	100% Polyester Backing: Acrylic	Gold Certified	11.552 oz.	3.625" H 4.438" V	Stain Repellent	60,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS, BC
BATIK <i>Directional</i>	51% Recycled Polyester (35% Post-/16% Pre-Consumer), 49% Polyester Backing: Acrylic	Gold Certified	8.464 oz.	2.5" H 5" V	Stain Repellent	51,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS, BC
DURANGO	100% Vinyl Backing: 100% Polyester	Certified	30 oz.	None	PreFixx® - Ink Resistant	1,000,000 Double Rubs	650 hours	See below	WS, BC
KEY LARGO <i>Directional</i>	100% Vinyl Backing: 100% Polyester Knit	Certified	28oz.	Non- Matching	Resilience ^{SR}	250,000 Double Rubs	650 hours	See below	WS, BC
PATIO <i>Directional</i>	100% Polyester Backing: Acrylic	Gold Certified	11.536 oz.	1.875" H 1.25" V	Stain Repellent	51,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS, BC
SEQUEL <i>Directional</i>	100% Polyester Backing: None	Gold Certified	13 oz.	None	Nano-Tex®	288,000 Double Rubs	60 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS
SHERLOCK <i>Directional</i>	100% Polyester Backing: Acrylic	Gold Certified	14.624 oz.	0.625" H 1.125" V	Stain Repellent	51,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS, BC
VALET <i>Directional</i>	100% Polyester Backing: Acrylic	Gold Certified	14.912 oz.	0.063" H 1.818" V	Stain Repellent	50,000 Double Rubs	40 hours	Cal. 117-2013 NFPA 260 (Equiv. to UFAC)	WS, BC

All patterns may comply with California Technical Bulletin 133 when combined with appropriate components.

FLAMMABILITY - Durango

California Technical Bulletin 117-2013	Passes	Fed. Spec. CID A-A-2950/supersedes CCC-A-680A	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes	FMVSS 302	Passes
BIFMA X5.7	Passes	NFPA 701	Passes
Boston Fire Dept. Code (BFD 1X-1)	Passes	NY & NJ Port Authority	Passes
FAA/FAR 25.853(a) and Appendix F Part I (a)(ii)	Passes		

FLAMMABILITY - Key Largo

California Technical Bulletin 117-2013	Passes	FMVSS 302	Passes
NFPA 260 (Equivalent to UFAC) Class 1	Passes	IMO FTP 2010 Code MSC.307(88), Part 8, 3.1 & 3.2	Passes
BIFMA CS-191-53, Section 3 & 4	Passes		

REDUCED ENVIRONMENTAL IMPACT

GREENGUARD Certified and GREENGUARD Gold Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit UL.com/gg.

BATIK

Recycled Content

KEY LARGO

Phthalates listed on Prop 65 were not used in production.

16P Free - 16 Phthalates were not used in production (BBP, DCHP, DNPP, DPrP, DEP, DNHP, DIBP, DINP, DIDP, DNNP, DIOP, DEHP, DBP, DMP, DNOP, DBZP)

Lead/Heavy Metal Free Tris Free Does not contain conflict minerals

Phthalate and Lead Free to meet CPSC/CPSIA (children's products) environmental and health standards.

ADDITIONAL INFORMATION

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Memo Samples: Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

Fabric Color Matching: Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Specifications: Specifications are correct at the time of printing. Additional specifications are available on our website.


For information or assistance with products or services, call us at 800.428.4415 or refer to the Mayer Fabrics website.

Align, Batik, Patio,
Sherlock, Valet




Sequel
NANOTEX®

Railroaded: This feature allows reduction of seams and enables smoother furniture tailoring.



Fabric "up the roll"
or "regular" position



Fabric "railroaded" or
"top selvage" position

We recommend all railroaded patterns should be upholstered as shown on card.

L A Z BOY®
CONTRACT FURNITURE

knú
CONTRACT

M
MAYERFABRICS